

**TEST TITLE**  
**SECTION I, Part A**  
**Time – 30 minutes**  
**Number of questions – 15**

SPECIAL INSTRUCTIONS GO HERE

**Directions:** Test directions go here.

**More Special Instructions:**

- (1) Unless otherwise specified, the domain of the function  $f$  is assumed to be the set of all real numbers  $x$  for which  $f(x)$  is a real number.
- (2) The inverse of a trigonometric function  $f$  may be indicated using the inverse function notation  $f^{-1}$  or with the prefix "arc" (e.g.,  $\sin^{-1} x = \arcsin x$ ).

1. Standard MCQ here.

- (A) distractor 1
- (B) distractor 2
- (C) distractor 3
- (D) distractor 4
- (E) distractor 5

GRAPIC WOULD BE HERE  
The Graph of  $f$

2. Standard MCQ here.

- (A) distractor 1
- (B) distractor 2
- (C) distractor 3
- (D) distractor 4
- (E) distractor 5

$$f(x) = \begin{cases} x & x \geq 0 \\ -x & x < 0 \end{cases}$$

3. Standard MCQ here that uses previous piecewise function.

- (A) distractor 1
- (B) distractor 2
- (C) distractor 3
- (D) distractor 4
- (E) distractor 5

4. Standard MCQ here.

- (A) distractor 1
- (B) distractor 2
- (C) distractor 3
- (D) distractor 4
- (E) distractor 5

5. Another variety of MCQ:

- I. Statement I
- II. Statement II
- III. Statement III

- (A) I only
- (B) II only
- (C) III only
- (D) I and III only
- (E) II and III only

6. Standard MCQ here.

- (A) distractor 1
- (B) distractor 2
- (C) distractor 3
- (D) distractor 4
- (E) distractor 5

SECTION II  
FREE RESPONSE

Instructions can be put here

7. Free Response Question Statement Begins here

$$f(x) = \begin{cases} x & x \geq 0 \\ -x & x < 0 \end{cases}$$

- (a) Question part a
- (b) Question part b
- (c) Question part c

8. Free Response Question Begins here

- (a) Question part a
- (b) Question part b
- (c) Question part c
- (d) Question part d